

**YIK
SING**



YOUR TOTAL FENCING SOLUTIONS
SINCE 1987

www.yiksing.com.my



Perniagaan Yik Sing Sdn. Bhd.

more than

experience in manufacturing of
wire mesh and chain-link
fencing products.



01

WT WELDED FENCE **FA** / ROLL TOP WELDED FENCE



GRID SPACING (MM)	50mm x 150mm
WIRE DIAMETER (MM)	5mm
WT FA WELDED FENCE PANEL STANDARD SIZE	900mm (H) X 2400mm (W) 1200mm (H) X 2400mm (W) 1500mm (H) X 2400mm (W) 1800mm (H) X 2400mm (W) 2100mm (H) X 2400mm (W) 2400mm (H) X 2400mm (W)
POST SPECIFICATION (MM)	GALVANISED POST Ø60mm COMPLETE WITH CLIPS, BOLTS & NUTS SET
FINISHING	HOT DIPPED GALVANISED

**100% HOT DIPPED
GUARANTEE
GALVANISED**
NOT ULTRA GALVANISED

Applications for



Gated Community



Landscape



Commercial Complex



Playground & Amusement Park



Stadium

WT WELDED FENCE *FV*

- Comprises of 'V' Shapes to enhance aesthetic & rigidity
- Similar to the popular FA series welded fence, but with more competitive pricing



GRID SPACING (MM)	50mm x 150mm
WIRE DIAMETER (MM)	5mm
WT FV WELDED FENCE PANEL STANDARD SIZE	900mm(H) X 2400mm (W) 1200mm(H) X 2400mm (W) 1500mm(H) X 2400mm (W) 1800mm(H) X 2400mm (W) 2100mm(H) X 2400mm (W) 2400mm(H) X 2200mm (W)
POST SPECIFICATION (MM)	GALVANISED POST Ø60mm COMPLETE WITH CLIPS, BOLTS & NUTS SET OR POWDER COATED - SILVER
FENCE FINISHING	HOT DIPPED GALVANISED

Applications for

Gated Community


Landscape

Commercial Complex


Playground & Amusement Park

Stadium

WT ANTI CLIMB FENCE



Highly regarded as the highest degree of physical perimeter protection, (most difficult fence to penetrate).



NOT ULTRA GALVANISED

GRID SPACING (MM)

12.5mm x 75mm (1/2" x 3")
25mm x 75mm (1" x 3")

WIRE DIAMETER (MM)

4mm

ANTICLIMB
PANEL STANDARD SIZE

1500mm(H) X 2400mm (W)
1800mm(H) X 2400mm (W)
2100mm(H) X 2400mm (W)
2400mm(H) X 2400mm (W)

POST SPECIFICATION
(MM)

HOLLOW POST 50MM X 75MM,
COMPLETE WITH FLAT BAR,
CLIPS, BOLTS & NUTS SET

FENCE FINISHING

HOT DIPPED GALVANISED

WT CHAIN LINK FENCING

(PVC COATED / GI)



The most economical / cheapest fencing solutions We able to manufacture all sizes to suit.




TYPE	GI OR PVC COATED
GAUGE	6, 8, 9, 10, AND 12 GAUGE (G) GALVANISED CORE WIRE
HEIGHTS	3', 4', 5', 6', 7', 8', 9', 10', 11', 12', 13', 14', 15' (FEET) (0.9M, 1.2M, 1.5M, 1.8M, 2.1M, 2.4M, 2.7M, 3M, 3.3M, 3.6M, 3.9M, 4.2M, 4.5M)
SPACING	1½", 2", 2½" AND 3" (INCH)
COLORS	FOREST GREEN, ORANGE, YELLOW, BLUE, BLACK, GALVANISED



SECURITY BARBED TYPE

CONCERTINA BARBED TAPE




COIL DIAMETER	WEIGHT
500MM	6KG
700MM	8KG
1000MM	10KG
FINISHING : GALVANISED	





FLAT WRAP BARBED TAPE



500MM | 6KG
FINISHING : GALVANISED




STAINLESS STEEL BARBED TAPE



1000MM | 10KG
MATERIAL : STAINLESS STEEL

STRAIGHT BARBED TAPE



500MM | 6KG
MATERIAL : GALVANISED



Traditional Top Wall
- Broken Glasses On Concrete Wall

MODERN HOUSING SECURITY OPTION

1.25M(L) X 2MM THICKNESS
FINISHING : GALVANISED

CYCLONE / DEER / CATTLE FENCE




HEIGHT / NO. OF LINES	1.5M (H) / 12 LINES 1.8M (H) / 15 LINES
THICKNESS	2.5MM
LENGTH PER ROLL	50METRE
FINISHING : GI WIRE	



SECURITY BARBED WIRE

HIGH TENSILE BARB WIRE



WIRE DIAMETER	16G
WEIGHT	12.5KG
MATERIAL	HIGH TENSILE GI WIRE
FINISHING : GALVANISED	

PVC / GI BARB WIRE




GABION CAGE PVC / GI



WIRE GAUGE	WEIGHT
12	6KG ,10KG
13	6KG ,10KG
14	6KG ,10KG
15	6KG ,10KG
16	6KG ,10KG

FINISHING : GI / PVC COATED
PVC 12G OR 10G ONLY





1M X 1M X 1M
2M X 1M X 1M
3M X 1M X 1M
2M X 1M X 0.3M
1M X 1M X 0.5M
FINISHING : GI / PVC COATED




BRC WIRE MESH

BRC HARD DRAWN



BRC GI WIRE MESH




CODE	WIRE GAUGE	PANEL SIZE
2208	8G	6 FT X 10 FT
2209	9G	6 FT X 10 FT
2210	10G	6 FT X 10 FT
2211	11G	6 FT X 10 FT
2213	13G	6 FT X 10 FT
2216	16G	6 FT X 10 FT
2108	8G	6 FT X 10 FT
2110	10G	6 FT X 10 FT
2111	11G	6 FT X 10 FT

BRC WELDED MESH



CHICKEN MESH / NETTINGS





WT ECO GRASS



Tired of mowing, watering and landscape maintenance?

WHY NOT TRY WT ECO GRASS TODAY?

WT Eco Grass is an eco friendly premium synthetic grass that is widely used in major landscape design both indoor and outdoor for gardens, childcare, offices, playground, and in-home interior fitting for a softer touch.

It is maintenance free, allergen free, water saving, and is safe for children and pets.



No Water



No Brown Spots



No Mowing



No Pesticides



No Fertilizing



No Mud



Always Green



Save Money



SPECIFICATIONS

PILE HEIGHT (MM)	35mm
GAUGE	3/8"
STITCH / METER (M)	180s/m
ACCESSORIES	Joint tape & Glue

Perniagaan Yik Sing Sdn. Bhd. is a privately owned company incorporated since 1987 in Jinjang Selatan, Kuala Lumpur, Malaysia; with more than 30 years experience in manufacturing of wire mesh and chain-link fencing products.



W.T. Wire Mesh Trading Sdn. Bhd. was also founded as a primary wire mesh manufacturing factory in Melaka, Malaysia.

Through the continuous commitment and support of our loyal employees and customers, Yik Sing and W.T. Wire Mesh has grown into one of the biggest wire mesh, chain-link fencing, barbed wire, razor barb wire, chicken nettings, and BRC manufacturer and supplier.

Committed to all our stakeholders, Yik Sing and W.T. Wire Mesh strongly value the importance of quality, service and efficiency in all aspects of our operations. Acknowledged as the industry leader in the market, we aim to obtain SIRIM and ISO 22000 in the near future.





**PERNIAGAAN YIK SING
SDN. BHD.**

(577126-M)
No. 22, 23, Jalan Kepong,
Jinjang Selatan, 52000
Kuala Lumpur, Malaysia.
Tel : +603 - 6257 6734
+603 - 6253 2313
Fax : +603 - 6257 1284
Email : sales@yiksing.com.my

**W.T. WIRE MESH TRADING
SDN. BHD.**

(530651-T)
Lot 253, Jalan PBR 30,
Bukit Rambai Industrial Estate,
75250 Melaka, Malaysia.
Tel : +606 - 351 6378
+606 - 351 6379
Fax : +606 - 351 6380
Email : sales@yiksing.com.my

